



SAFETY DATA SHEET (SDS)

EXTRACT: Galbanum
SDS Created: January 5 2023

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

1.1 Globally Harmonized System (GHS) product identifier

Product name: Galbanum concrete

Latin name of botanical source: *Ferula galbaniflua* INCI

name: Ferula Galbaniflua (Galbanum) Gum Extract

1.2 Recommended use of the chemical and restrictions on use:

Aromatherapy, natural perfumery, as recommended. Do not ingest.

1.3 Supplier s details:

Company name: ALADAGH HERBAL PRODUCT

Company address: Iran , North Khorasan

Email address: hamidrezaramooz15@gmail.com

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

Flammable Liquid,

Skin corrosion/irritation,

Serious eye damage/eye irritationAspiration hazard,

Skin sensitization

Hazardous to the aquatic environment - Chronic hazard,

2.2 GHS label elements, including precautionary statements

Safety Information

| | Hazardous Statement | Precautionary Statement |
|---------|--|---|
| Warning | H226 - Flammable liquid and vapour | P102 - Keep out of reach of children. |
| | H302 - Harmful if swallowed | P273 - Avoid release to the environment. |
| | H315 - Causes skin irritation | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | H319 - Causes serious eye irritation | P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. |
| | H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled | |



| | Hazardous Statement | Precautionary Statement |
|--|--|-------------------------|
| | H317 - May cause an allergic skin reaction | |
| | H335 - May cause respiratory irritation | |
| | H304 - May be fatal if swallowed and enters airways | |
| | H411 - Toxic to aquatic life with long-lasting effects | |

2.3 Other hazards that do not result in classification

May cause skin irritation/allergy. Patch test recommended.
May cause skin irritation/allergy. Patch test recommended.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

| COMMON NAME | Galbanum concrete |
|--------------------|--|
| LATIN NAME | Ferula galbaniflua |
| COUNTRY OF ORIGIN | Iran |
| CULTIVATION METHOD | Conventional |
| TYPE | Solvent extraction |
| EXTRACTION METHOD | Modified Extraction |
| PLANT PART | Gum |
| USE | Aromatherapy, Natural Perfumery, Incense |

3.1 SPECIFICATIONS (Range)

| | | |
|---------------------|--|----------|
| PHYSICAL APPEARANCE | Waxy and viscose liquid | Conforms |
| COLOR | Colorless to pale yellow | Conforms |
| ODOR | Bittersweet green, leafy, earthy and bell-pepper-like. | Conforms |
| SOLUBILITY | Soluble in alcohol and fixed oils | Conforms |

3.2 VOLATILE COMPONENTS:

| COMPONENTS | Range % | % | COMPONENTS | Range % | % |
|--------------|---------|------|-----------------------------------|---------|-------|
| ALPHA-PINENE | na | 1/64 | Ethyl alcohol | na | >5 |
| BETA-PINENE | 10-25 | 19 | GUAJOL | na | 10/17 |
| MYRCENE | na | 1/5 | Bulnesol | na | 10/44 |
| Bisabolol | na | 6/3 | UNDECA-1,3,5-TRIENES (GALBANOLES) | na | 1/74 |

COMMENTS



Odor quality is excellent.

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary first-aid measures (of Substance)

Eye contact:

Check for and remove any contact lenses. Immediately wash thoroughly with soft, clean water for 10 minutes while holding the eyelids open. Cold water may be used. If symptoms persist, seek medical attention.

Skin Contact:

No harmful effect with normal skin. If skin irritation does occur, wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

Inhalation:

Not likely to occur under normal conditions of use. If symptoms occur, move to fresh air and seek medical advice.

Ingestion:

Not an expected route of exposure. In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the exposed person at rest. Do NOT force vomiting unless directed to do so by medical personnel. Seek immediate medical attention and show the Substance's label to medical personnel.

4.2 Most important symptoms and effects, both acute and delayed (of Substance)

Eye contact:

May cause eye irritation and corneal damage if not immediately rinsed out.

Skin Contact:

Repeated contact may cause allergic dermatitis.

Inhalation:

Not an expected route of exposure.

Ingestion:

Not an expected route of exposure.

4.3 Indication of any immediate medical attention and special treatment needed (of Substance)

No data available.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Flash point (Celsius/Fahrenheit)

Not specified

5.2 Extinguishing media

Keep packages near the fire cool, to prevent pressurized containers from bursting.

Suitable extinguishing media: sprayed water or water mist, alcohol-resistant foam, multipurpose ABC powder, BC powder, carbon dioxide (CO₂)

Unsuitable extinguishing media: water jet (straight stream).

5.3 Specific hazards arising from the chemical

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. In the event of a fire, the following may be formed: carbon monoxide (CO) and carbon dioxide (CO₂).

5.4 Special protective actions for firefighters

Use self-contained breathing apparatus and protective clothing.

SECTION 6: HANDLING AND STORAGE

6.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking. Avoid unintentional contact with skin surfaces. Wear suitable protective clothing. Ensure good ventilation or exhaust in workplace. Do not allow contact with eyes. Always wash hands after handling. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially



in confined areas.

Fire prevention: Handle in well-ventilated areas. Vapors are heavier than air. They can spread along the ground and form mixtures that are explosive with air. Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits. Prevent the accumulation of electrostatic charges with connections to earth. Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected. Keep packages tightly closed and away from sources of heat, sparks and naked flames. Do not use tools which may produce sparks. Do not smoke.

6.2 Conditions for safe storage, including any incompatibilities

Store in tight glass, aluminum, or double-lined containers in a dark, cool, or refrigerated area away from direct heat. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

SECTION 7: EXPOSURE CONTROL / PERSONAL PROTECTION

7.1 Control parameters

OSHA TWA: None established
OSHA STEL: None established
ACGIH TWA: None established
ACGIH STEL: None established
NOHSC TWA: None established
NOHSC STEL: None established

7.2 Appropriate engineering controls

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

7.3 Individual protection measures

Personal protective equipment:

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place away from the work area. Never eat, drink, or smoke during use. Remove and wash contaminated clothing before re-using.

Eye/face protection:

Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN 166) designed to protect against liquid splashes.

Hand protection:

Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN 374) in the event of prolonged or repeated skin contact.

Type of gloves recommended: Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR)) or PVA (Polyvinyl alcohol).

Body protection: Flame-retardant, antistatic protective clothing.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate, use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as back-up to engineering controls.



SECTION 8: PHYSICAL CHEMICAL PROPERTIES

Physical state: Waxy and viscous liquid

Color: Colorless to pale yellow

Odor: Bittersweet green, leafy, earthy and bell-pepper-like

Miscibility in water: Insoluble

Miscibility in alcohol: Soluble

Miscibility in essential oil: Soluble

Lip solubility: Liposoluble

pH: Not specified



Boiling point/boiling range: Not specified

Flash Point: Not specified

Vapor pressure: Not specified

Evaporation rate: Not specified

Density: Not specified

Water solubility: Insoluble

Melting point/melting range: Not specified

Self-ignition temperature: Not specified

Decomposition point/decomposition range: Not specified

SECTION 9: STABILITY AND REACTIVITY

9.1 Reactivity

No data available

9.2 Chemical stability

This substance is stable under the recommended handling and storage conditions in Section 5.

9.3 Possibility of hazardous reactions

When exposed to high temperatures, the substance may release hazardous decomposition products, such as carbon monoxide, carbon dioxide, fumes, and nitrogen oxide.

9.4. Conditions to avoid

Any apparatus likely to produce flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises. Avoid accumulation of electrostatic charges. Avoid heating, heat, flames, hot surfaces, humidity.

9.5 Incompatible materials

Alkali metals, ammonia, oxidizing agents, peroxides strong inorganic acids.

9.6 Hazardous decomposition products

The thermal decomposition may release/form carbon monoxide (CO) and carbon dioxide (CO₂).

SECTION 10: TOXICOLOGICAL INFORMATION

10.1 Information on toxicological effects

Acute toxicity:

No data available

Skin corrosion/irritation:

May be irritating to skin

Serious eye damage/irritation:

Eye exposure to essential oils may irritate the eyes. Prompt rinsing and removal of the substance will avoid damage.

Respiratory or skin sensitization:

Breathing high concentrations of vapor may cause anesthetic effects.

Germ cell mutagenicity:

Not specified

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity:**

Not specified

STOT-single exposure:

Not specified

STOT-related exposure:

Not specified

Aspiration hazard:

May be fatal if swallowed and enters airways. Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

10.1 Information on the likely routes of exposure

Skin/scalp contact

10.2 Symptoms related to the physical, chemical, and toxicological characteristics

None known. Irritation of the eye if exposed. Redness of the skin if acting as a photosensitizer.

10.3 Delayed and immediate effects and also chronic effects from short-term and long-term exposure

Exposure to vapors from this solvent in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver, and central nervous system.

Repeated or prolonged contact with the substance may cause removal of natural oil from the skin, resulting in non-allergic contact dermatitis and absorption through the skin. Splashes in the eyes may cause irritation and reversible damage.

10.4 Interactive effects

Not specified

SECTION 11: ECOLOGICAL INFORMATION**11.1 Info summary of Ecological information**

Balance of data on substance as a whole, not determined.

11.2 Eco toxicological properties of specific substances

See each category below for specific substances

11.3 Toxicity Acute**fish toxicity:**

LC50 /96 HOUR - No data available Toxicity to

aquatic plants - No data available

Toxicity to microorganisms - No data available

Toxicity threshold - No data available

11.4 Persistence and degradability

Biodegradation is expected

11.5 Bio-accumulative potential

Bioaccumulation is unlikely

11.6 Mobility in soil

Unknown

11.7 Other adverse effect

Avoid exposure to marine environments and waterways

SECTION 12: DISPOSAL CONSIDERATIONS



12.1 Waste treatment methods

Do not pour into drains or waterways. Observe all federal, state, and local environmental regulations. Member State-specific and Community-specific provisions must be considered. Considering the relevant known environmental and human health hazards of the materials, review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental release. This may include destructive techniques for waste and wastewater. In extreme situations, contact a licensed professional waste disposal service to dispose of this material.

Waste:

Proper waste management of the substance and/or its container must be determined in accordance with Directive 91/271/EC. Do not pour into drains or waterways. Waste management is carried out without endangering human health, without harming the environment, and in particular without risk to water, air, soil, plants, or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Soiled packaging:

Empty all containers completely. Keep label(s) on every container. Give to a certified disposal contractor.

SECTION 13: TRANSPORT INFORMATION

13.1 UN Number

UN 1197

13.2 UN Proper shipping name

Extracts, liquid

13.3 Transportation hazard classes



Class 3

13.4 Environmental hazards



Hazardous to the aquatic environment

13.5 Special precautions for user

Not specified

13.6 Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code

Not applicable